	Application No.	Applicant(s)
Notice of Allowability	10/551,005	SAN ANTONIO ET AL.
	Examiner	Art Unit
	Maury Audet	1654
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>10/13/06</u> .		
2. The allowed claim(s) is/are <u>1,30,61-63,66-73 and 98-101</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	be been received. be been received in Application No	 national stage application from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-	948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawing the header according to 37 CFR 1.121(ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)	5	Detect Application
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendi	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
- · · · · · · · · · · · · · · · · · · ·	9. Other	
•		
		·

Application/Control Number: 10/551,005

Art Unit: 1654

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dan Monaco, Applicant's Representative, on 3/27/07. The option for rejoinder of non-elected subject matter per *In re Ochiai* was discussed, however, since the methods may raise separate issues which would have to be addressed (e.g. 35 U.S.C. 112 1st/2nd paragraphs), Applicant elected to cancel without prejudice the non-elected claims and consider the pursuit of the latter in a continuing application.

IN THE CLAIMS

In claims 66-69, lines 2-4, the entire clause, redundant of claim 1, beginning ", wherein said" through "...protecting group", and up to the end period, has been deleted.

In claims 70-73 and 98-101, lines 2-4, the entire clause, redundant of claim 1, beginning ", and said heparin-binding" through "...protecting group", and up to the end period has been deleted.

Claims 31-34, 49-60, 64-65, 74-97, and 102-105 are cancelled without prejudice.

Application/Control Number: 10/551,005

Art Unit: 1654

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Claims 1, 30, 61-63, 66-73, and 98-101, as drawn to a heparin-binding peptide consisting of SEQ ID NO: 1, 5 (elected, core to other three peptide sequences, rejoined by Examiner), 8, and 37, or a composition thereof or a carrier conjugate thereof, are not reasonably taught or suggested by the prior art of record. The carrier molecules of the conjugates of claim 61 find description and support on pages 34-35.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Claims 1, 30, 61-63, 66-73, and 98-101 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maury Audet whose telephone number is 571-272-0960. The examiner can normally be reached on M-Th. 7AM-5:30PM (10 Hrs.).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cecilia Tsang can be reached on 571-272-0562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/551,005 Page 4

Art Unit: 1654

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MA, 3/31/2007

Cacilia J. Tsang

Technology Center 1600